



# Road Markers

## MSL-SV-RM12- Specifications



## About Us,

MSL USA's LED streetlights are trusted by electrical contractors, government agencies, and project managers across the United States. Our selection of streetlights include fixtures with dusk to dawn photocell technology as well as weather resistant coating to ensure smooth operation through harsh weather conditions. We also offer solar powered streetlights for environmentally friendly projects. We advanced production technology, we deliver smart lighting solutions for streets, gardens, residential areas, and many more...



MSL-SV-RM12 is Decorative LED surface markers, also known as surface-mounted LED path lights or deck lights, are versatile lighting options used to outline and accent outdoor areas like driveways, decks, patios, walkways, and gardens. They come in various styles and can be either solar-powered or low-voltage (wired).

decorative road markers are non-regulatory aesthetic enhancements that use various durable materials to add color and patterns to pavement, brightening public spaces.


## Technical Specifications

Model	MSL-SV-RM12-A	MSL-SV-RM12-C
Voltage		DC12V-24V
Rated Output Power	0.6W	0.24W (Single-color) / 0.8W (Multi-color)
Lumen Output	8Lm	2Lm
Beam Angle	90°	90°
LED	1 pcs SMD2835 LED	1pc SMD5050 LED
LED Color	Cool White, Warm White, White, Red, Yellow, Green, Blue, RGB	
IP Rating	IP65	
Warranty	3 Years Limited	
Surface Material	Zinc Alloy + Aluminum	
Attached Parts	DC12V constant voltage drive power supply With 1*1m 22AWG 2468 PVC /With 2*1m 22AWG 2464PVC cable attached by male connector	
	Two wire smart controller/ dimmer/ T shape power cord with connectable waterproof plug	Four-wire Three-loop circuit RGB controller + remote controller/ multifunctional RGB controller


## Product Features

- Adopt SMD LED technology.
- Half moon special design.
- With easy & convenient installation.
- Walkover pressure max. 100kg/220lbs
- Long lifespan over 50,000 hours.

## Dimensions



## Installation





## Uses and Applications Guide

### USES AND APPLICATIONS GUIDE

Walk/Bike Path	
Parks	
Gardens	
Hotel Entrances	
Crosswalks	

## Ordering Guide

Model	Voltage	LED Wattage	LED Color	LED body color	IP Rating Options
MSL-SV-RM12-A MSL-SV-RM12-C	DC12V	0.6W *0.24W/0.8W *(Available for type C)	CW- Cool White WW- Warm White W-White R- Red Y- Yellow G- Green B- Blue	SLV - Silver	IP-65