



Road Markers

MSL-SV-RM16- Specifications



About Us,

MSL USA's LED streetlights are trusted by electrical contractors, government agencies, and project managers across the United States. Our selection of streetlights include fixtures with dusk to dawn photocell technology as well as weather resistant coating to ensure smooth operation through harsh weather conditions. We also offer solar powered streetlights for environmentally friendly projects. We advanced production technology, we deliver smart lighting solutions for streets, gardens, residential areas, and many more...

MSL-SV-RM16



MSL-SV-RM16 is Decorative LED surface markers, also known as surface-mounted LED path lights or deck lights, are versatile lighting options used to outline and accent outdoor areas like driveways, decks, patios, walkways, and gardens. They come in various styles and can be either solar-powered or low-voltage (wired).

decorative road markers are non-regulatory aesthetic enhancements that use various durable materials to add color and patterns to pavement, brightening public spaces.




Technical Specifications

Model	MSL-SV-RM16-A		MSL-SV-RM16-C
Voltage	DC12-24V		
Rated Output Power	4.5W	4.5W	3W(Single color)/ 9W(Multi color)
Lumen Output	250Lm	250Lm	100Lm
Beam Angle	30°		
LED	1 pc COB LED	1 pc COB LED	3 pcs LED
LED Color	Cool White, Warm White, White, Red, Yellow, Green, Blue, RGB		
IP Rating	IP67		
Warranty	3 Years Limited		
Surface Material	Aluminum or High Grade 304/316 Stainless Steel + PC		
Attached Parts	DC12V constant voltage drive power supply (for DC 12V) VDE H03RN-F 2x0.75mm ² wire with connectable waterproof plug (for DC12V) T shape power cord with connectable waterproof plug (for DC 12V)		


Product Features

- Use COB LED, high lumen output.
- Low power consumption & heat radiation.
- Elegant design with solid & corrosion resistant structure.
- IP rating up to 67
- Long lifespan over 30,000 hours.

Dimensions



Installation





Uses and Applications Guide

USES AND APPLICATIONS GUIDE

Walk/Bike Path

Parks

Gardens

Hotel Entrances

Crosswalks

Ordering Guide

Model	Voltage	LED Wattage	LED Color	LED body color	IP Rating Options
MSL-SV-RM16-A MSL-SV-RM16-C	AC/DC12-24V AC85-264V DC12V	4.5W *3W/9W *(Available for type C)	CW- Cool White WW- Warm White W-White R- Red Y- Yellow G- Green B- Blue	BLK - Black	IP-67